



GAUTENG DEPARTMENT OF EDUCATION
GAUTENGSE DEPARTEMENT VAN ONDERWYS
PROVINCIAL EXAMINATION
PROVINSIALE EKSAMEN

JUNE / JUNIE 2018
GRADE / GRAAD 10

PHYSICAL SCIENCES
FISIESE WETENSKAPPE

PAPER / VRAESTEL 1

MEMORANDUM

7 pages / bladsye

GAUTENG DEPARTMENT OF EDUCATION
GAUTENGSE DEPARTEMENT VAN ONDERWYSPROVINCIAL EXAMINATION
PROVINSIALE EKSAMENPHYSICAL SCIENCES / FISIESE
WETENSKAPPE
(Paper / Vraestel 1)

QUESTION / VRAAG 1

- | | | | | | | | |
|-----|------|------|-----|-----|-----|-----|------|
| 1.1 | D ✓✓ | 1.2 | A✓✓ | 1.3 | A✓✓ | 1.4 | B✓✓ |
| 1.5 | D✓✓ | 1.6 | C✓✓ | 1.7 | C✓✓ | 1.8 | D ✓✓ |
| 1.9 | A✓✓ | 1.10 | B✓✓ | | | | |

[20]

QUESTION / VRAAG 2

- 2.1 The distance between two consecutive / successive points that are in-phase. ✓✓
Die afstand tussen twee opeenvolgende punte in fase ✓✓ (2)

2.2 2.2.1 $\lambda = \frac{1,8}{12} \text{ m}$ ✓
 $\lambda = 0,15 \text{ m}$ ✓ (2)

2.2.2

POSITIVE MARKING FROM 2.2.1
POSITIEWE NASIEN VANAF 2.2.1

$$\begin{aligned} v &= f \cdot \lambda \quad \checkmark \\ 0,225 &= f (0,15) \quad \checkmark \\ f &= 1,5 \text{ Hz} \quad \checkmark \end{aligned} \quad (3)$$

- 2.3 2.3.1 Upwards / beweeg opwaarts ✓ (1)
2.3.2 A and / en D ✓ (1)

2.4 2.4.1 OPTION / OPSIE 1

$$f = \frac{\text{no. of pulses}}{\text{time}} \checkmark \quad \frac{\text{aantal pulse}}{\text{tyd}}$$

$$f = \frac{2}{0,8} \checkmark$$

$$f = 2,5 \text{ Hz} \checkmark$$

OPTION / OPSIE 2

$$f = \frac{1}{T} \checkmark$$

$$f = \frac{1}{0,4} \checkmark$$

$$f = 2,5 \text{ Hz} \checkmark$$

(3)

2.4.2

POSITIVE MARKING FROM 2.4.1/
POSITIEWE NASIEN VANAF 2.4.1

$$v = f \cdot \lambda \checkmark$$

$$\underline{12} = 2,5 \cdot \underline{\lambda} \checkmark$$

$$\lambda = 4,8 \text{ m} \checkmark$$

(3)

- 2.5 The maximum displacement / distance of disturbance of particles of the medium from rest / equilibrium position. ✓✓

Die maksimum versteuring vanaf rus maksimum verplasing van deeltjies vanaf rus / of ekwilibrium posisie. ✓✓

(2)

- 2.6 20 m ✓✓

(2)

[19]

QUESTION / VRAAG 3

- 3.1 A single disturbance that occurs in a medium wherein particles of the medium move perpendicular to the direction of propagation. ✓✓ 'n Enkele versteuring in 'n medium waartydens die deeltjies van die medium loodreg beweeg tot die rigting van voortplanting van die puls ✓✓
- 3.2 Superposition / (destructive) interference ✓ / Superposisie/ Destruktiewe interferensie ✓
- 3.3 Resultant amplitude/ Resulterende amplitude = 12 + (-8) ✓
= (+) 4 cm ✓
- 3.4 $v = \frac{d}{\Delta t}$ ✓
- $$v = \frac{0,6}{1,5} \checkmark$$
- $$v = 0,4 \text{ m.s}^{-1} \checkmark$$
- 3.5 3.5.1 Longitudinal wave / longitudinale golf ✓

3.5.2 R – compression/ Verdigtig ✓
S – rarefaction / verdunning ✓ (2)


3.5.3 $T = \frac{1}{f}$ ✓
 $T = \frac{1}{100}$ ✓
 $T = 0,01$ s ✓ (3)

3.6 Light travels faster than sound ✓✓ / lig beweeg vinniger as klank ✓✓ (2)
[16]

QUESTION / VRAAG 4

4.1 A compass needle points along the earth's magnetic ✓ axis so that the north end of the magnet aligns with the earth's magnetic field. ✓ / 'n Kompass dui die Aarde ✓ se magnetise noord aan. Die naald wys in die rigting van die magnetiese noord. ✓ (2)

4.2



Direction of lines **in** at south pole, **out** at north pole / Rigting van lyne **in** by suidpool, **uit** by noordpool ✓✓
Correct shape for field pattern as shown / Korrekte vorm vir veldpatroon soos aangedui ✓

4.3 Yes / Ja ✓ (1)
[6]

QUESTION / VRAAG 5

5.1 Less than ✓/ minder as✓

NEGATIVE MARKING / NEGATIEWE NASIEN

- Sphere B is positively charged, it has excess protons / has lost electrons ✓
- Sfeer B is positief gelaai, daar is minder elektrone / dit het elektrone verloor✓

(2)

5.2 5.2.1 The net charge✓ of an isolated system remains constant✓ during any physical process.

Die netto lading✓ van 'n geïsoleerde sisteem bly konstant✓ gedurende enige fisiese proses.

(2)

5.2.2 C to / na B ✓

(1)

- sphere C has a negative charge, thus has excess electrons which are shared equally ✓ only electrons can flow ✓
- sfeer C het 'n negatiewe lading, daar is dus 'n oorvloed elektrone wat gelyk versprei is. ✓ net elektrone mag beweeg ✓

(2)

5.2.4

$$\begin{aligned} Q_B = Q_C &= \frac{q_{net}}{2} \quad \checkmark \\ &= \frac{-6 \times 10^{-9} + 2 \times 10^{-9}}{2} \quad \checkmark \\ &= -2 \times 10^{-9} \text{ C} \quad \checkmark \end{aligned}$$

(3)

5.2.5

$$\begin{aligned} n &= \frac{\Delta Q}{q_e} \quad \checkmark \\ n &= \frac{-2 \times 10^{-9} - (-6 \times 10^{-9})}{1.6 \times 10^{-19}} \quad \checkmark \quad \text{or / of} \quad \frac{-2 \times 10^{-9} + 6 \times 10^{-9}}{-1.6 \times 10^{-19}} \end{aligned}$$

$$n = 2,5 \times 10^{10} \text{ electrons / elektrone} \quad \checkmark$$

(3)

[13]

QUESTION / VRAAG 6

- 6.1 6.1.1 Radio waves/ *radiogolwe* ✓ (1)
- 6.1.2 Radio waves have a longer wavelength and can be transmitted over long distances./ *Radiogolwe het 'n langer golflengte en kan oor 'n lang afstand beweeg.* ✓ (1)
- 6.2 6.2.1 A particle of light energy. / *elementêre deeltjie (kragdraer) van ligenergie* ✓✓ (2)
- 6.2.2 $3 \times 10^8 \text{ m.s}^{-1}$ ✓✓ (2)
- 6.2.3 $E = \frac{h.c.}{\lambda}$ ✓
 $1,46 \times 10^{-24} = \frac{6,63 \times 10^{-34} \cdot 3 \times 10^8}{\lambda}$ ✓
0,136 m ✓ (3)
- 6.3 Decrease / *Verminder* ✓✓ (2)

NEGATIVE MARKING / NEGATIEWE NASIEN

- Wavelength is inversely proportional to energy / penetrating ability. /
- *Golflengte in omgekeerd eweredig aan energie / penetrasievermoë* ✓✓

(2)
[13]**QUESTION / VRAAG 7**

- 7.1 7.1.1 Energy transferred per coulomb of charge. ✓✓/ *Energie oorgedra per Coulomb lading* ✓✓
- OR
- Is the work done in moving a unit charge ✓ between two points. ✓
Die werk verrig om 'n eenheid lading ✓ *tussen twee punte te beweeg.* ✓ (2)

7.1.2

$$\begin{aligned}V &= \frac{W}{Q} \checkmark \\V &= \frac{90}{20} \checkmark \\V &= 4,5 \text{ V} \checkmark\end{aligned}$$

(3)

7.1.3

POSITIVE MARKING FROM 7.1.2 / POSITIEWE NASIEN VANAF 7.1.2

$$p.d = \frac{4,5}{3} \checkmark = 1,5 \text{ V} \checkmark$$

(2)

7.2.1

$$\begin{aligned}I &= \frac{Q}{\Delta t} \checkmark \\&= \frac{30}{40} \checkmark \\&= 0,75 \text{ A} \checkmark\end{aligned}$$

7.2.2

POSITIVE MARKING FROM 7.1.2 AND 7.2.1 / NEGATIEWE NASIEN

$$\begin{aligned}\frac{1}{R_p} &= \frac{1}{R_1} + \frac{1}{R_2} \checkmark \\\frac{1}{R_p} &= \frac{1}{12} + \frac{1}{12} \checkmark \\R_p &= 6\Omega \checkmark\end{aligned}$$

(3)

7.3 Dimmer \checkmark / Dowwer \checkmark

(1)

7.4

NEGATIVE MARKING/ NEGATIEWE NASIEN

- The effective resistance will increase \checkmark and the total current will remain the same \checkmark /
- Die effektiewe weerstand sal toeneem \checkmark en die totale stroomsterkte bly dieselfde \checkmark

(2)
[16]TOTAL SECTION B / TOTAAL AFDELING B: 80
TOTAL / TOTAAL: 100